
Ecofan™



Models: 14075 - 800CA-BBX Black & Brass

14075N - 800CA-KBX Black & Nickel

UK OPERATING INSTRUCTIONS & WARRANTY CONDITIONS





The Ecofan™

Important:


The information in this manual contains safe operating instructions and warranty information. Read this information carefully to learn how to operate and maintain your Ecofan™ properly and to avoid injury or product damage.

Proper Usage

The Ecofan™ is designed for use on freestanding woodstoves with normal surface temperatures between 205°C to 345°C (400°F to 650°F). Temperatures above 345°C (650°F) will damage your Ecofan. A heat sensitive spring will gently tilt the fan as your stove's temperature increases. A small tilt (the gap between the front of the Ecofan base and stove) of about 2mm (1/16") is good. A large tilt of over 5mm (1/4") means your stove is too hot. Good woodstove safety practice includes the use of a stove thermometer. This will help ensure that your fan is not used if your stove is heated over 345°C (650°F).

Handling the Ecofan™

The base of the Ecofan™ will get hot when used. Hold the unit firmly by the handle at all times as shown in Figure 1. Do not touch the base of the Ecofan. Never set the Ecofan™ down on an unprotected surface as the hot base could potentially damage that surface.




Children

Accidents can occur if children are not properly supervised around your stove or Ecofan. Children should be kept away from your stove and never allowed to handle the Ecofan. Never assume that children will remain where you last saw them. Always use caution and supervise children around your stove.

Placement

For optimum performance placement on your stove's surface is critical. Be sure to position the Ecofan on the stovetop so that cool air will be drawn over the "cooling fins". The Ecofan should not be used directly in front of the stove pipe or at the front of the stove.



NOTE: Overheating will reduce the Ecofan's effectiveness and may damage the power generator and void the warranty. Remove the Ecofan from the stove if temperatures exceed 340°C (650°F)

Keep the Box

We recommend that you keep the your Ecofan box. You can use this for storage over the summer months and it will make it easier if you need to return the fan under guarantee or for refurbishment.

Join the Eco'fan' Club

Visit www.ecofan.co.uk and click on **The Eco'fan' Club**. Here you will be able to read customers testimonials and view pictures of Ecofans in use. There is a link provided for you to download your comments and pictures for inclusion on the site.

UK WARRANTY

This product is warranted to be free from any manufacturer's defects in material and workmanship for a period of 1 year from the date of purchase. Should this product become defective or fail to operate under normal conditions within this 1 year period, simply return the unit, together with the original invoice or cash register slip, to our UK distributors Calfire at the following address:

Calfire Spareline Ltd., Gledrid. Chirk. Wrexham LL14 5DG.

Repair or replacement of the product in the UK shall be at the option of Calfire. This warranty covers household use only and does not cover commercial or industrial use. This warranty does not cover abnormal wear or damages resulting from accident, misuse, abuse or, if applicable, breakage (when such breakage is not due to a manufacturing defect) and any other incidental or consequential damages. This warranty is in lieu of any other expressed warranties. Should repair become necessary after the warranty period has expired then send your product to Calfire for a refurbishment quotation. See www.ecofan.co.uk for details of the UK refurbishment program.

UK Distributor **C4LFIRE**

Calfire Spareline Ltd

Gledrid Chirk Wrexham LL14 5DG

Tel: 01691 772922 Fax: 01691 773552 http: www.ecofan.co.uk http: www.calfire.com email: sales@calfire.com

Manufacturer **S** Caframo

Caframo Limited

RR 2 Wiarton Ontario NOH 2TO Canada

Tel: 001-800-567-3556 http: <u>www.caframo.com</u>

email: contactus@caframo.com